



Thompsonville Fire Department

11 Pearl Street

Enfield, Connecticut 06082-3501

Telephone 860-745-3365 Fax 860-745-1492

Paul E. Censki Fire Marshal

Memorandum

To: Board of Fire Commissioners
Acting Chief William Provencher

From: Paul E. Censki - Fire Marshal

Date: 11/09/2016

Subject: Report of the Fire Marshal for the Months of October 2016

Request for service and activity

During the period above the fire marshal's office was involved in 45 requests for service or activities. Those activities and services are in the attached report.

Incidents

Total incidents runs for period above **162**
Total EMS runs for period above **98**

Total Incident runs last year same period **136**
Total EMS runs last year same period **85**

Total incident runs for current year to date **1682**
Total EMS runs for current year to date **988**

Total Incident runs from last year to date **1541**
Total EMS runs from last year to date **924**

Thompsonville Fire District #2

www.Thompsonvillefire.org

OCT 2016

4-YEAR INCIDENT SUMMARY

	2016	2015	2014	2013
FIRES	8	5	10	8
Building Fires	3	2	7	3
Vehicle Fires	2	1	2	1
Other Fires	3	2	1	4
OVERPRESSURE RUPTURES	0	2	0	2
RESCUE CALLS	98	85	79	87
Emergency Medical	90	76	75	74
All Other Rescue	8	9	4	13
HAZARDOUS CONDITIONS	15	13	7	6
SERVICE CALLS	13	24	18	12
GOOD INTENT CALLS	11	6	8	15
FALSE CALLS	17	23	13	9
Malicious False Calls	0	2	1	0
Other False Calls	17	21	12	9
OTHER CALLS	0	0	0	0
TOTAL CALLS	162	158	135	139
TOTAL FIRE DOLLAR LOSS	\$3,700	\$3,500	\$3,500	\$31,000
TOTAL PROPERTY VALUE	\$3,700	\$569,000	\$171,000	\$276,000

Thompsonville Fire District #2

JAN - OCT 2016
www.Thompsonvillefire.org

4-YEAR INCIDENT SUMMARY

	2016	2015	2014	2013
FIRES	168	95	90	71
Building Fires	35	34	46	27
Vehicle Fires	6	11	13	7
Other Fires	127	50	31	37
OVERPRESSURE RUPTURES	5	8	7	6
RESCUE CALLS	988	924	855	902
Emergency Medical	892	806	763	761
All Other Rescue	96	118	92	141
HAZARDOUS CONDITIONS	109	94	99	98
SERVICE CALLS	176	207	163	151
GOOD INTENT CALLS	72	76	86	90
FALSE CALLS	162	136	137	127
Malicious False Calls	2	6	3	9
Other False Calls	160	130	134	118
OTHER CALLS	2	1	3	0
TOTAL CALLS	1,682	1,541	1,440	1,445
TOTAL FIRE DOLLAR LOSS	\$412,695	\$268,790	\$214,160	\$84,550
TOTAL PROPERTY VALUE	\$26,394,920	\$4,394,842	\$11,859,650	\$634,650

Thompsonville Fire District #2

Incident Type Period Comparisons (Modified)

Alarm Date Between {10/01/2016} and {10/31/2016}

Incident Type	10/01/2016	10/01/2015	10/01/2014	10/01/2013
	to	to	to	to
	10/31/2016	10/31/2015	10/31/2014	10/31/2013
100 Fire, Other	1	0	1	0
111 Building fire	1	2	4	2
113 Cooking fire, confined to container	2	0	3	0
114 Chimney or flue fire, confined to chimney or	0	0	0	1
131 Passenger vehicle fire	2	1	2	1
140 Natural vegetation fire, Other	0	0	0	2
150 Outside rubbish fire, Other	0	0	0	1
151 Outside rubbish, trash or waste fire	0	2	0	0
160 Special outside fire, Other	2	0	0	0
173 Cultivated trees or nursery stock fire	0	0	0	1
200 Overpressure rupture, explosion, overheat other	0	1	0	1
251 Excessive heat, scorch burns with no ignition	0	1	0	1
300 Rescue, EMS incident, other	1	0	0	0
311 Medical assist, assist EMS crew	0	0	0	4
321 EMS call, excluding vehicle accident with injury	90	76	75	74
322 Motor vehicle accident with injuries	6	7	4	2
323 Motor vehicle/pedestrian accident (MV Ped)	0	1	0	4
324 Motor Vehicle Accident with no injuries	0	0	0	1
331 Lock-in (if lock out , use 511)	0	0	0	1
352 Extrication of victim(s) from vehicle	1	0	0	0
353 Removal of victim(s) from stalled elevator	0	1	0	0
356 High-angle rescue	0	0	0	1
400 Hazardous condition, Other	1	0	1	0
410 Combustible/flammable gas/liquid condition,	1	0	1	0
411 Gasoline or other flammable liquid spill	0	1	1	0
412 Gas leak (natural gas or LPG)	1	1	0	2
413 Oil or other combustible liquid spill	3	1	1	2
420 Toxic condition, Other	2	0	0	0
422 Chemical spill or leak	3	4	0	1
424 Carbon monoxide incident	0	1	1	0
442 Overheated motor	0	1	0	0
445 Arcing, shorted electrical equipment	1	0	0	0
461 Building or structure weakened or collapsed	0	1	0	0
463 Vehicle accident, general cleanup	3	3	2	1
500 Service Call, other	1	6	4	3
510 Person in distress, Other	0	1	1	0
511 Lock-out	2	2	3	0
512 Ring or jewelry removal	0	0	0	1
520 Water problem, Other	1	1	0	1
522 Water or steam leak	0	0	1	0
531 Smoke or odor removal	0	2	0	2

Thompsonville Fire District #2

Incident Type Period Comparisons (Modified)

Alarm Date Between {10/01/2016} and {10/31/2016}

Incident Type	10/01/2016	10/01/2015	10/01/2014	10/01/2013
	to	to	to	to
	10/31/2016	10/31/2015	10/31/2014	10/31/2013
542 Animal rescue	0	1	0	0
550 Public service assistance, Other	1	4	2	2
551 Assist police or other governmental agency	2	1	2	2
553 Public service	6	3	1	1
554 Assist invalid	0	0	1	0
561 Unauthorized burning	0	0	2	0
571 Cover assignment, standby, moveup	0	3	1	0
600 Good intent call, Other	3	3	3	3
611 Dispatched & cancelled en route	5	2	3	7
622 No Incident found on arrival at dispatch address	0	0	0	1
651 Smoke scare, odor of smoke	1	0	0	0
652 Steam, vapor, fog or dust thought to be smoke	1	0	0	0
661 EMS call, party transported by non-fire agency	0	0	0	1
671 HazMat release investigation w/no HazMat	1	1	2	3
700 False alarm or false call, Other	0	1	2	0
710 Malicious, mischievous false call, Other	0	0	1	0
714 Central station, malicious false alarm	0	1	0	0
715 Local alarm system, malicious false alarm	0	1	0	0
730 System malfunction, Other	1	1	0	0
733 Smoke detector activation due to malfunction	3	4	2	0
735 Alarm system sounded due to malfunction	1	0	0	0
736 CO detector activation due to malfunction	1	1	0	0
740 Unintentional transmission of alarm, Other	2	0	0	2
741 Sprinkler activation, no fire - unintentional	0	0	1	1
743 Smoke detector activation, no fire -	6	8	5	4
744 Detector activation, no fire - unintentional	1	0	0	2
745 Alarm system activation, no fire - unintentional	2	5	2	0
746 Carbon monoxide detector activation, no CO	0	1	0	0
Totals	<u>162</u>	<u>158</u>	<u>135</u>	<u>139</u>

Thompsonville Fire District #2

Aid Responses by Incident (Modified)

Alarm Date Between {10/01/2016} And {10/31/2016}

Department	Notified	Aid Type	Fire	EMS	Resc	Other
16-0001553 10/08/2016 15:25:11						
131 Passenger vehicle fire						
I91 EXIT 47E NB						
EFD Enfield Fire	10/08/2016	4 Automatic aid	#Personnel	4	0	0
Department		given	#Apparatus	1	0	0
Response Time:00:05:02						
Subtotal Responses: 1			Average Aid Response Time for Incident: 00:05:02			
16-0001561 10/11/2016 13:20:57						
740 Unintentional transmission of alarm, Other						
I617 KING ST						
EFD Enfield Fire	10/11/2016	4 Automatic aid	#Personnel	4	0	0
Department		given	#Apparatus	1	0	0
Response Time:00:04:01						
Subtotal Responses: 1			Average Aid Response Time for Incident: 00:04:01			
16-0001606 10/19/2016 02:29:38						
I22 Chemical spill or leak						
I91 EXIT 47E SB						
EFD Enfield Fire	10/19/2016	4 Automatic aid	#Personnel	0	0	0
Department		given	#Apparatus	0	0	0
Response Time:00:06:10						
Subtotal Responses: 1			Average Aid Response Time for Incident: 00:06:10			
16-0001633 10/23/2016 13:19:38						
I13 Cooking fire, confined to container						
I6 TRINITY DR						
EFD Enfield Fire	10/23/2016	4 Automatic aid	#Personnel	0	0	0
Department		given	#Apparatus	0	0	0
Response Time:00:04:02						
Subtotal Responses: 1			Average Aid Response Time for Incident: 00:04:02			

Response time calculated from time notified to arrival time.

Thompsonville Fire District #2

Aid Responses by Incident (Modified)

Alarm Date Between {10/01/2016} And {10/31/2016}

Department	Notified	Aid Type	Fire	EMS	Resc	Other
16-0001640 10/14/2016 13:04:35						
131 Passenger vehicle fire						
ENFIELD ST & MONTANO RD						
NTFD North	10/14/2016	3 Mutual aid given	#Personnel	0	0	0
Thompsonville Fire			#Apparatus	0	0	0
Department						
		Response Time:00:25:25				
Subtotal Responses: 1			Average Aid Response Time for Incident: 00:25:25			

16-0001662 10/27/2016 16:07:24						
413 Oil or other combustible liquid spill						
rt 91 south , south of 47						
EFD Enfield Fire	10/27/2016	4 Automatic aid	#Personnel	0	0	0
Department		given	#Apparatus	0	0	1
		Response Time:00:05:22				
Subtotal Responses: 1			Average Aid Response Time for Incident: 00:05:22			

response time calculated from time notified to arrival time.

Thompsonville Fire District #2

Department Journal

10/01/2016 to 10/31/2016

00:00 to 24:00

Stations: FMO

Shifts: Z

All Journal Entry Types

Time	Type	Record Id	Description/Location	Staff Hrs
Tue Oct 4, 2016				
08:30	OCCUP	540659	CONSULTATION- TELEPHONE	1.25
	Station FMO	Shift Z Unit T08	CUTLER LINDA, 5 BELMONT AVE	
10:00	OCCUP	200040	INSPECTION - License	1.00
	Station FMO	Shift Z Unit T07	FIGARO'S RESTARAUNT, 90 ELM ST	
14:00	OCCUP	OREC01	INSPECTION- construction	1.00
	Station FMO	Shift Z Unit T07	Fantastic Sams, 95 ELM ST /Suite 10	
Wed Oct 5, 2016				
10:00	OCCUP	537212	INSPECTION- CERTIFICATE OF OCCUPANCY	1.50
	Station FMO	Shift Z Unit T07	MOBIL OIL CORP & dunkin Donuts, 100 ELM ST	
11:00	OCCUP	537739	INSPECTION - Permit	1.25
	Station FMO	Shift Z Unit T07	Olive Garden Restaurant, 41 HAZARD AVE	
13:00	OCCUP	540658	INSPECTION - REQUESTED INSPECTION	2.00
	Station FMO	Shift Z Unit T07	MOUNT CARMEL ASSOCIATION, 93 PARK AVE	
Thu Oct 6, 2016				
14:00	OCCUP	TOEGREEN	PLAN REVIEW - Site	0.75
	Station FMO	Shift Z	Town Green, 820 ENFIELD ST	
15:00	OCCUP	200038	PLAN REVIEW - Approval of permit application	0.75
	Station FMO	Shift Z Unit T07	Moline cafe, 95 HIGH ST /suite 1	
16:00	OCCUP	200105	PLAN REVIEW - Approval of permit application	0.25
	Station FMO	Shift Z	56 Windsor Street, 56 WINDSOR ST	
Wed Oct 12, 2016				
14:00	OCCUP	539505	PLAN REVIEW - PLANS AND APPLICATION RECEIVED	0.75
	Station FMO	Shift Z Unit T08	BLDG 112 Pearl Street, 112 PEARL ST	

Thompsonville Fire District #2

Department Journal

10/01/2016 to 10/31/2016

00:00 to 24:00

Stations: FMO

Shifts: Z

All Journal Entry Types

Time	Type	Record Id	Description/Location	Staff Hrs
Wed Oct 12, 2016				
16:00	OCCUP	539853	CONSULTATION- TELEPHONE	0.75
	Station FMO	Shift Z	7 WASHINTON AVENUE, 7 WASHINGTON AVE	
Thu Oct 13, 2016				
10:00	OCCUP	539853	CONSULTATION- TELEPHONE	1.00
	Station FMO	Shift Z	7 WASHINTON AVENUE, 7 WASHINGTON AVE	
10:30	OCCUP	200040	INSPECTION - License	1.00
	Station FMO	Shift Z UnitT07	FIGARO'S RESTARAUNT, 90 ELM ST	
11:30	OCCUP	537739	INSPECTION - FOLLOW UP INSPECTION	1.00
	Station FMO	Shift Z UnitT07	Olive Garden Restaurant, 41 HAZARD AVE	
15:15	OCCUP	539505	LEGAL- PERMIT BILL MAILED	0.50
	Station FMO	Shift Z UnitT08	112 Pearl Street, 112 PEARL ST	
Thu Oct 20, 2016				
09:30	OCCUP	200073	CONSULTATION - Site	1.25
	Station FMO	Shift Z UnitT07	Ruby Tuesday Restaurant, 90 ELM ST /73B	
10:45	OCCUP	200084	PLAN REVIEW - REVISED DRAWINGS RECEIVED	0.50
	Station FMO	Shift Z UnitT07	Amped Fitness LLC, 699 ENFIELD ST	
10:45	OCCUP	200084	PLAN REVIEW - Approval of permit application	0.75
	Station FMO	Shift Z UnitT07	Amped Fitness LLC, 699 ENFIELD ST	
13:00	OCCUP	200099	PLAN REVIEW - REVIEW OF ARCHITECT RESPONSE	0.75
	Station FMO	Shift Z UnitT08	RADIOLOGY ASSOCIATES OF HARTFORD, 9 CRANBROOK BLVD	
15:00	OCCUP	539505	LEGAL- PERMIT BILL RECEIVED	0.50
	Station FMO	Shift Z UnitT07	112 Pearl Street, 112 PEARL ST	
15:00	OCCUP	200099	PLAN REVIEW - Approval of permit application	0.50
	Station FMO	Shift Z UnitT08	RADIOLOGY ASSOCIATES OF HARTFORD, 9 CRANBROOK BLVD	

Thompsonville Fire District #2

Department Journal

10/01/2016 to 10/31/2016

00:00 to 24:00

Stations: FMO

Shifts: Z

All Journal Entry Types

Time	Type	Record Id	Description/Location	Staff Hrs
Thu Oct 20, 2016				
15:15	OCCUP	539505	PLAN REVIEW - PLANS AND APPLICATION RECEIVED	0.25
	Station FMO	Shift Z Unit T08	BLDG 112 Pearl Street, 112 PEARL ST	
16:00	OCCUP	537212	PLAN REVIEW - PLANS & APPLICATION RECEIVED	0.25
	Station FMO	Shift Z Unit T08	ZONING MOBIL OIL CORP & dunkin Donuts, 100 ELM ST	
16:15	OCCUP	537345	PLAN REVIEW - PLANS & APPLICATION RECEIVED	0.25
	Station FMO	Shift Z Unit T08	ZONING 935 Enfield Street, 935 ENFIELD ST	
16:15	OCCUP	537212	Plan Review - General Application review	0.50
	Station FMO	Shift Z Unit T08	MOBIL OIL CORP & dunkin Donuts, 100 ELM ST	
17:00	OCCUP	TRACSPPLY	INSPECTION - Complaint investigation	1.50
	Station FMO	Shift Z Unit T07	Tractor Supply, 51 PALOMBA DR	
Fri Oct 21, 2016				
10:45	OCCUP	539966	CONSULTATION - Fire Alarm	0.75
	Station FMO	Shift Z Unit T07	ENFIELD HOUSING AUTHORITY ELLA GRASSO MA, 25 CENTRAL ST	
Sat Oct 22, 2016				
09:30	OCCUP	537332	INSPECTION - License	1.25
	Station FMO	Shift Z Unit T07	RUSSO GIOVANNI & ROSANNA, 739 ENFIELD ST	
Sun Oct 24, 2016				
2:00	OCCUP	OREC01	INSPECTION- construction	0.75
	Station FMO	Shift Z Unit T08	Fantastic Sams, 95 ELM ST /Suite 10	
6:00	OCCUP	546751	PLAN REVIEW - PLANS & APPLICATION RECEIVED	0.50
	Station FMO	Shift Z Unit T08	ZONING W L REALTY LTD, 20 PALOMBA DR	

Thompsonville Fire District #2

Department Journal

10/01/2016 to 10/31/2016

00:00 to 24:00

Stations: FMO

Shifts: Z

All Journal Entry Types

Time	Type	Record Id	Description/Location	Staff Hrs
Wed Oct 26, 2016				
09:00	OCCUP	537339	INSPECTION - Site	3.00
	Station FMO	Shift Z UnitT08	841 ENFIELD STREET, 841 ENFIELD ST	
Fri Oct 28, 2016				
09:00	OCCUP	DVTADYLSIS	INSPECTION - License	1.00
	Station FMO	Shift Z UnitT07	Davita Dialysis, 51 PALOMBA DR	
10:00	OCCUP	TARGET	INSPECTION - Electrical	0.50
	Station FMO	Shift Z UnitT07	TARGET, 90 ELM ST	
10:30	OCCUP	GOCALNDR	INSPECTION- CERTIFICATE OF OCCUPANCY	0.50
	Station FMO	Shift Z UnitT07	GOCALNDR, 90 ELM ST /74	
11:00	OCCUP	SMSBLL	INSPECTION - General	0.50
	Station FMO	Shift Z UnitT07	Smash Ball, 90 ELM ST	
13:30	OCCUP	537339	INSPECTION - Site	0.50
	Station FMO	Shift Z UnitT07	841 ENFIELD STREET, 841 ENFIELD ST	
14:00	OCCUP	200084	PLAN REVIEW - Approval of permit application	0.50
	Station FMO	Shift Z UnitT07	Amped Fitness LLC, 699 ENFIELD ST	
14:00	OCCUP	200084	PLAN REVIEW - Approval of permit application	0.50
	Station FMO	Shift Z UnitT07	Amped Fitness LLC, 699 ENFIELD ST	
15:00	OCCUP	TRACSPPLY	INSPECTION - FOLLOW UP INSPECTION	0.50
	Station FMO	Shift Z UnitT07	Tractor Supply, 51 PALOMBA DR	
15:00	OCCUP	200084	PLAN REVIEW - PLANS AND APPLICATION RECEIVED	0.50
	Station FMO	Shift Z UnitT08	BLDG Amped Fitness LLC, 699 ENFIELD ST	
15:00	OCCUP	200084	PLAN REVIEW - Approval of permit application	1.00
	Station FMO	Shift Z	Amped Fitness LLC, 699 ENFIELD ST	

Thompsonville Fire District #2

Department Journal

10/01/2016 to 10/31/2016

00:00 to 24:00

Stations: FMO

Shifts: Z

All Journal Entry Types

Time	Type	Record Id	Description/Location	Staff Hrs
Fri Oct 28, 2016				
15:30	OCCUP	HOME01	INSPECTION - Complaint investigation	0.25
	Station FMO	Shift Z UnitT07	Home Depot, 136 ELM ST	
16:00	OCCUP	PCRI01	INSPECTION - Complaint investigation	0.50
	Station FMO	Shift Z UnitT07	PC RICHARDS, 136 ELM ST	
16:00	OCCUP	MICHAELS	INSPECTION - Complaint investigation	0.50
	Station FMO	Shift Z UnitT07	Michael's Crafts, 25 HAZARD AVE	
17:00	OCCUP	540079	INSPECTION - Complaint investigation	0.50
	Station FMO	Shift Z UnitT07	28-30-32 Pleasant Street, 28 PLEASANT ST	

Total Entries: 45

Total Staff Hrs: 35.75